

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **FAST-STRIP**  
 Registration number (REACH) Not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

FAST-GRIND  
 Gijzenzelestraat 10  
 9860 Oosterzele  
 Belgium

Telephone: +32 498 35 80 57  
 e-mail: info@fast-grind.com  
 Website: www.fast-grind.com

e-mail (competent person) Sales@fast-grind.com

#### 1.4 Emergency telephone number

Emergency information service +32 498 35 80 57  
 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.1O	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of water-courses.

#### 2.2 Label elements

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word                      Warning

- pictograms

GHS02, GHS07,  
GHS09



- hazard statements

- H226                      Flammable liquid and vapour.
- H302+H312+H332      Harmful if swallowed, in contact with skin or if inhaled.
- H315                      Causes skin irritation.
- H317                      May cause an allergic skin reaction.
- H319                      Causes serious eye irritation.
- H411                      Toxic to aquatic life with long lasting effects.

- precautionary statements

- P210                      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P243                      Take action to prevent static discharges.
- P261                      Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271                      Use only outdoors or in a well-ventilated area.
- P280                      Wear protective gloves/protective clothing/eye protection/face protection.
- P312                      Call a POISON CENTRE/doctor if you feel unwell.
- P403+P235              Store in a well-ventilated place. Keep cool.

- hazardous ingredients for labelling                      Orange, sweet, ext.; 2-Butoxyethanol

**2.3 Other hazards**

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not relevant (mixture)

**3.2 Mixtures**

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.





Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
2-Butoxyethanol	CAS No 111-76-2  EC No 203-905-0  REACH Reg. No 01- 2119475108 -36-xxxx	> 30	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319		IOELV		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Limits	M-Factors
Orange, sweet, ext.	CAS No 8028-48-6  EC No 232-433-8  REACH Reg. No 01- 2119493353 -35-xxxx	15 – 30	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	   			

**Notes**

IOELV: Substance with a community indicative occupational exposure limit value

### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

**Following inhalation**

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Get immediate medical advice/attention.

**Following skin contact**

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Get immediate medical advice/attention.

**Following eye contact**

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

**Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water mist; Dry extinguishing powder; Carbon dioxide (CO<sub>2</sub>); Sand; Foam

Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Dike the spilled product as much as possible with inert material. Kieselgur (diatomite). Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

#### Control of effects

##### Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

##### Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

There is no additional information.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
EU	2-Butoxyethanol	111-76-2	IOELV	20	98	50	246		2000/39/EC
GB	2-Butoxyethanol	111-76-2	WEL	25	123	50	246		EH40/2005

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

##### Biological limit values

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	2-Butoxyethanol	2-Butoxyacetic acid	Crea	BMGV	240 mmol/mol	EH40/2005

Notation

crea Creatinine

##### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-Butoxyethanol	111-76-2	DNEL	98 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	1,091 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	246 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Acute - local effects
2-Butoxyethanol	111-76-2	DNEL	125 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	89 mg/kg bw/day	Human, dermal	Worker (industry)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	59 mg/m <sup>3</sup>	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	426 mg/m <sup>3</sup>	Human, inhalatory	Consumer (private households)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	147 mg/m <sup>3</sup>	Human, inhalatory	Consumer (private households)	Acute - local effects
2-Butoxyethanol	111-76-2	DNEL	75 mg/kg bw/day	Human, dermal	Consumer (private households)	Chronic - systemic effects

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-Butoxyethanol	111-76-2	DNEL	89 mg/kg bw/day	Human, dermal	Consumer (private households)	Acute - systemic effects
2-Butoxyethanol	111-76-2	DNEL	6.3 mg/kg bw/day	Human, oral	Consumer (private households)	Chronic - systemic effects
2-Butoxyethanol	111-76-2	DNEL	26.7 mg/kg bw/day	Human, oral	Consumer (private households)	Acute - systemic effects
Orange, sweet, ext.	8028-48-6	DNEL	31.1 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Orange, sweet, ext.	8028-48-6	DNEL	8.89 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Orange, sweet, ext.	8028-48-6	DNEL	185.8 µg/cm <sup>2</sup>	Human, dermal	Worker (industry)	Acute - local effects
Orange, sweet, ext.	8028-48-6	DNEL	7.78 mg/m <sup>3</sup>	Human, inhalatory	Consumer (private households)	Chronic - systemic effects
Orange, sweet, ext.	8028-48-6	DNEL	4.44 mg/kg bw/day	Human, dermal	Consumer (private households)	Chronic - systemic effects
Orange, sweet, ext.	8028-48-6	DNEL	92.9 µg/cm <sup>2</sup>	Human, dermal	Consumer (private households)	Acute - local effects
Orange, sweet, ext.	8028-48-6	DNEL	4.44 mg/kg bw/day	Human, oral	Consumer (private households)	Chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
2-Butoxyethanol	111-76-2	PNEC	9.1 mg/l	Aquatic organisms	Water	Intermittent release
2-Butoxyethanol	111-76-2	PNEC	8.8 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	0.88 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	463 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	34.6 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	3.46 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
2-Butoxyethanol	111-76-2	PNEC	2.33 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Orange, sweet, ext.	8028-48-6	PNEC	5.4 µg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Orange, sweet, ext.	8028-48-6	PNEC	0.54 µg/l	Aquatic organisms	Marine water	Short-term (single instance)
Orange, sweet, ext.	8028-48-6	PNEC	2.1 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Orange, sweet, ext.	8028-48-6	PNEC	1.3 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
Orange, sweet, ext.	8028-48-6	PNEC	0.13 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
Orange, sweet, ext.	8028-48-6	PNEC	0.261 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)

**8.2 Exposure controls**

**Appropriate engineering controls**

General ventilation.

**Individual protection measures (personal protective equipment)**

**Eye/face protection**



Use safety goggle with side protection (EN 166).

**Skin protection**

Protective clothing (EN 340 & EN ISO 13688).

**- hand protection**



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**- type of material**

PVC: polyvinyl chloride, NR: natural rubber, latex, Nitrile rubber

**- breakthrough times of the glove material**

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

**- other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	Liquid
Colour	Colourless
Odour	Characteristic

##### Other safety parameters

pH (value)	Not determined
Melting point/freezing point	Not determined
Initial boiling point and boiling range	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not relevant, (Fluid)
Explosive limits	Not determined
Vapour pressure	Not determined
Density	0.915 g/cm <sup>3</sup>
Vapour density	This information is not available
Solubility(ies)	Not determined

##### Partition coefficient

- n-octanol/water (log KOW)	This information is not available
Auto-ignition temperature	Not determined
Viscosity	Not determined
Explosive properties	None
Oxidising properties	None

#### 9.2 Other information

There is no additional information.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition.

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Extreme temperatures (low and high). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Acids. Bases. Oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

- acute toxicity estimate (ATE)

Exposure route	ATE
Oral	526.6 mg/kg
Dermal	1,931 mg/kg
Inhalation: dust/mist	3.862 mg/l/4h

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
2-Butoxyethanol	111-76-2	Oral	1,414 mg/kg
2-Butoxyethanol	111-76-2	Dermal	1,100 mg/kg
2-Butoxyethanol	111-76-2	Inhalation: vapour	11 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-Butoxyethanol	111-76-2	Oral	LD50	1,414 mg/kg	Guinea pig
2-Butoxyethanol	111-76-2	Dermal	LD50	>2,000 mg/kg	Rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Butoxyethanol	111-76-2	LC50	1,474 mg/l	Fish	96 h
2-Butoxyethanol	111-76-2	EC50	1,550 mg/l	Aquatic invertebrates	48 h
2-Butoxyethanol	111-76-2	ErC50	1,840 mg/l	Algae	72 h
2-Butoxyethanol	111-76-2	NOEC	88 mg/l	Algae	72 h
2-Butoxyethanol	111-76-2	Growth (EbCx) 10%	308 mg/l	Algae	72 h
2-Butoxyethanol	111-76-2	Growth rate (ErCx) 10%	679 mg/l	Algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Butoxyethanol	111-76-2	EC50	297 mg/l	Aquatic invertebrates	21 d
2-Butoxyethanol	111-76-2	NOEC	100 mg/l	Aquatic invertebrates	21 d
2-Butoxyethanol	111-76-2	Growth (EbCx) 10%	134 mg/l	Aquatic invertebrates	21 d

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
2-Butoxyethanol	111-76-2	Carbon dioxide generation	18.3 %	3 d		ECHA

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-Butoxyethanol	111-76-2		0.81 (pH value: 7, 25 °C)	
Orange, sweet, ext.	8028-48-6	32 – 156	2.78 – 4.88	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Other adverse effects

Data are not available.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Endocrine disrupting potential  
None of the ingredients are listed.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

#### 14.1 UN number

1993

#### 14.2 UN proper shipping name

FLAMMABLE LIQUID, N.O.S.

Technical name (Hazardous ingredients)

Orange, sweet, ext.

#### 14.3 Transport hazard class(es)

Class

3 (Flammable liquids) (Environmentally hazardous)

#### 14.4 Packing group

III (Substance presenting low danger)

#### 14.5 Environmental hazards

Environmentally hazardous substance (aquatic environment)

Hazardous to the aquatic environment

Orange, sweet, ext.

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S.
Class	3
Classification code	F1
Packing group	III

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Danger label(s) 3, Fish and tree



Environmental hazards Yes (Hazardous to the aquatic environment)  
 Special provisions (SP) 274, 601  
 Excepted quantities (EQ) E1  
 Limited quantities (LQ) 5 L  
 Transport category (TC) 3  
 Tunnel restriction code (TRC) D/E  
 Hazard identification No 30  
 Emergency Action Code 3YE

**International Maritime Dangerous Goods Code (IMDG)**

UN number 1993  
 Proper shipping name FLAMMABLE LIQUID, N.O.S.  
 Class 3  
 Marine pollutant Yes (Hazardous to the aquatic environment)  
 Packing group III  
 Danger label(s) 3, Fish and tree



Special provisions (SP) 223, 274, 955  
 Excepted quantities (EQ) E1  
 Limited quantities (LQ) 5 L  
 EmS F-E, S-E  
 Stowage category A

**International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number 1993  
 Proper shipping name Flammable liquid, n.o.s.  
 Class 3  
 Environmental hazards Yes (Hazardous to the aquatic environment)  
 Packing group III  
 Danger label(s) 3



Special provisions (SP) A3  
 Excepted quantities (EQ) E1  
 Limited quantities (LQ) 10 L

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
FAST-STRIP	This product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

##### Legend

R3

- Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

##### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

##### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

##### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

##### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
Index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
Log KOW	n-Octanol/water



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

Abbr.	Descriptions of used abbreviations
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: 1.0

Date of compilation: 2019-04-24

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.